# MXC300W





On a desktop or cabinet, the compact design of the new MXC300W is ideal for any size office or workgroup.

# THE TOOLS YOU NEED TO GAIN THE COMPETITIVE ADVANTAGE



The MXC300W DESKTOP COLOUR DOCUMENT SYSTEM is designed to be compact and powerful, bringing performance and productivity to individuals and small workgroups. The MXC300W is capable of output SPEEDS OF 30 PAGES PER MINUTE (PPM), regardless of whether you're working with monochrome or colour documents.

- Offering PRINT, COPY, SCAN AND FAX FEATURES, the MXC300W business-quality multifunction document system enhance day-to-day workflows.
- The compact size of the MXC300W ENABLES IT TO FIT INTO TIGHT WORKSPACES without sacrificing the advanced technology that provides professional quality output.
- STANDARD WIRELESS NETWORKING allows you to connect to the MXC300W without having to be near a wired network connection. This allows for greater flexibility in choosing a location in your environment that best suits your needs.
- SHARPDESK MOBILE COMPATIBILITY offers cutting edge mobile scanning and printing that connects the MXC300W to mobile products such as iPad<sup>®</sup>, iPhone<sup>®</sup>, Android<sup>™</sup>, Windows<sup>®</sup> 8, or Windows<sup>®</sup> RT devices.

The compact design of the MXC300W model was achieved using breakthrough technologies developed internally by Sharp, which include a **HIGH PERFORMANCE LENS**, **DOWNSIZED SCANNING UNIT**, **SIDE-BY-SIDE TONER CARTRIDGES** and a reduction in overall parts. These technologies have helped Sharp offer one of the **LOWEST COSTS-PER-COPY** (CPC) in this category!

That's the **SHARP DIFFERENCE**.

COMPORCI

# Versatile functions right at your fingertips



# SOPHISTICATED COMPACT DESIGN

Professional OUTPUT QUALITY

VALUE-ADDED LOW COST-PER-COPY

CONVENIENT WIRELESS
CONNECTIVITY

# Features that keep you ready for business.

- 50-page Reversing Single Pass Document Feeder
- Standard auto duplex printing
- Paper Capacity: standard 250 sheet tray and 50-sheet bypass, expandable to 800 sheets total with optional 500-sheet high capacity cassette
- Productive Printing and Copying: 30 PPM/CPM
- Standard PCL®6 and PostScript® 3™ printing systems for both PC and Mac printing environments
- High Quality 600 x 600 dpi copy and print
- Simplified user interface utilizing a 5-line LCD operation panel
- Full Colour Scanning to E-mail, FTP server, network folder, USB memory or desktop
- Compact Design: does not require a special cabinet and easily fits into today's small office environments







- Sharpdesk Mobile offers powerful mobile scanning and printing for users' mobile products including iPad, iPhone, Android, Windows 8 and Window RT devices
- Front USB port for easy scan to USB memory or printing from USB
- ID card shot feature for easy **copying of insurance cards**, credit cards or drivers license
- IPv6 support ensures the latest compatibility with network environments
- Inbound fax routing to network folder saves printing costs and guards privacy of incoming data
- Sharp Remote Device Manager compatible for easy management of all your Sharp MFP products



# POWERFUL MFP FEATURES IN A SMALL FOOTPRINT



Compact yet powerful enough for workgroup environments.



Convenient access to paper path from side panel door makes it easy to clear misfeeds.

# **Designed for Workgroups or Individual Offices**

#### **Low Cost of Ownership**

From the ground up, Sharp designed the MXC300W compact desktop colour document system to keep your everyday costs low starting with a unique dual component developer system that offers **one of the lowest costs-per-copy** in the category. Sharp understands that the initial cost of office equipment is only part of the equation you consider when making an important buying decision. Be sure to ask a Sharp representative to analyze your office usage and let them show you savings specific to your office!

#### **Easy-to-Use Control Panel**

The MXC300W uses a 5-line LCD panel and **ergonomic keypad for quick entry** of copying, scanning or faxing requirements. The customizable program keys allow users to save the frequently used settings/destinations. For example, if you often scan to a network folder in a PDF format at 200 dpi, this can all be accomplished with the touch of one button.

#### **Compact Design**

The MXC300W model offers a small footprint that is perfect **for tight work environments** or individual office desktops. With a compact size of 17"(w) x 20"(d) x 16 3/4"(h), finding a location for a new full-function device has never been easier.

#### **Sharp Developments**

The sophisticated features, **low cost-per-copy** and size of the MXC300W is only possible with a 100% new clean sheet design by Sharp engineers. MXC300W offers a compact scanner with custom lenses that don't sacrifice resolution, side-by-side toner cartridges for easy changing, and a reduction in the overall number of parts compared with previous generation Sharp models.





Shown with optional 500-sheet paper tray (left) and standard configuration (right).



# VERSATILE BUSINESS TECHNOLOGIES



Sharp's integrated network scanning offers one-touch document distribution to multiple destinations.



An easily accessible USB connector on the front of the MFP allows simplified access to, and using common USB thumb drives.



Micro-fine Toner Technology helps provide optimum colour balance and density as well as enhanced edge definition.

# Jump-start your productivity with advanced technologies at your fingertips.

#### **Standard RSPF**

The MXC300W comes equipped with a standard **50-sheet Reversing Single Pass Document Feeder**. Each feeder allows for 9 pages-per-minute colour and 18 pages-per-minute black & white scanning so processing important documents is quick and easy. In combination with the built-in stackless duplex module, these feeders allow users to easily print on both sides of the paper.

#### **Wireless Connectivity**

With the standard wireless connectivity on the MXC300W, users can **easily scan or print from up to 5 wireless devices simultaneously** such as a PC, laptop, smartphone, or tablet. Using Sharpdesk Mobile or standard wireless communication protocols users can easily communicate with the MXC300W without the hassle of a wired connection. Users no longer have to transfer files or images to a local machine prior to printing. Additionally, wireless connectivity enables the MFP to be placed in locations that may not have a wired network outlet.

#### **Advanced Colour Scanning**

MXC300W scanning provides a multitude of functional ways to distribute scanned documents to your business partners. Scanning options include:

- Scan to E-mail sends documents as an E-mail attachment
- Scan to FTP Server scans documents directly to an FTP server for storage
- Scan to Network Folder (SMB) sends files to a shared folder on a networked Windows PC
- Scan to Desktop sends scanned documents directly to your PC desktop via Sharpdesk
- Scan to USB Memory scans documents directly to USB memory devices

#### **Sharp Micro-fine Toner Technology**

The MXC300W utilizes the latest micro-fine toner technology, enabling faithful reproduction of graphics and documents with fine detail. The MXC300W uses a dual-component developing system while still being one of the smallest and lightest in its class, even compared with competitive mono-component system models. And the Sharp dual-component developing system can **reproduce clearer dot images and smoother lines** than typical mono-component systems. In addition, the granularity produced by a dual-component developing system is superior to that of a mono-component system.

#### **High Performance PostScript Printing**

Standard PCL® 6 and PostScript® 3<sup>™</sup> compatibility offers high performance printing and are considered optional on many competitive models in this category. With the inclusion of PS3 printing as a standard feature, the MXC300W provides the best **interpretation of complex files**, Mac files and application independent printing without adding additional cost. PostScript output makes the MXC300W ideal for photo or PDF proof printing.

# SHARPDESK AND SHARPDESK MOBILE



## Streamline your document workflow and enhance productivity.

#### **Sharpdesk**

Sharpdesk software is an easy-to-use personal document management application that lets users browse, edit, search, compose, process and forward scanned and native electronic documents.



#### **Manage Document Workflow**

Sharpdesk simplifies the creation and distribution of proposals, reports and more. Simply drag and drop your files onto Sharpdesk software's work area and you'll be able to browse through them in a single window. Each file type can be displayed as a thumbnail for quick visual location and identification of a document. Over 200 types of files, such as Excel, Word, PowerPoint, TIFF, JPEG and BMP, are supported.

#### **Sharpdesk Desktop Key Benefits:**

- Save time and steps, by providing easy to use scanning directly to your desktop
- Search results with thumbnail, filename and keyword for fast and easy recognition
- · Combine, split and rotate image files for printing
- Compressing files saves memory space and provides faster network communication

#### **Sharpdesk Mobile**

Sharpdesk Mobile is a powerful, cutting edge mobile scanning and printing that connects Sharp MFPs via wireless to mobile products such as iPad, iPhone, Android, Windows 8 and Windows RT devices.

#### **Hassle-free Printing**

Connect to a Wi-Fi network, select a document, preview and print directly to a supported Sharp MFP from a smartphone or tablet.

#### **Simplified Scanning**

Scan hard-copy documents to PDF for **easy access** by simply scanning from a Sharp MFP to your device. Your smartphone or tablet profile can be stored as a "scan-to" location on the MFP for **one-touch operation**.

#### **Seamless Collaboration with Other Applications**

Sharpdesk Mobile allows seamless file sharing with other applications. Users can attach scanned files to E-mail, share documents with other applications or print files from other apps.

#### **Sharpdesk Mobile:**

- · Receive, preview and store scanned images
- · Print data from mobile devices
- · Send data on mobile devices as an attachment of E-mail
- Share data on mobile devices with other applications



# SHARP REMOTE DEVICE MANAGER

# Enhance efficiency and maximize your time through Sharp's versatile device management.

#### **Management Software**

Sharp Remote Device Manager is a device management software, developed by Sharp, which allows the operator to **browse and operate** an **MFP via a web browser**. This advanced access **allows** for easy set-up and configuration of the MFP, enabling users to get the most of the advanced features the MXC300W has to offer!

# Sharp Remote Device Manager Device was generally generally and the second of the seco

Sharp Remote Device Manager.

#### **Superior Features**

- Graphical device management screen by list/icon display
- · Status indicators of toner and paper tray
- · Notification of MFP status by E-mail alert
- Easy access to MFP features via embedded Web page
- Device discovery based on a specific IP address, an IP search range on a designated subnet





# SECURITY THAT HELPS PROTECT YOUR BUSINESS

To help protect your data, the MXC300W offers several layers of standard security, making Sharp the optimum choice to help protect employees' privacy and intellectual property. As a leader in office equipment security, Sharp makes it easy for virtually any business or government entity to safely deploy digital copying, printing, scanning and faxing.

#### User Authentication

To limit access to authorized users, the MXC300W supports user authentication for up to 30 users.

#### Control Device Access over the Network

To help restrict access to the device over the network, the MXC300W offers IPsec, SMB and IP/MAC address filtering.

## Documents Remain Confidential

The MXC300W offers confidential printing that when used, requires users to enter a PIN code in order to print a queued document.

# Fax Filtering/Blocking

To aid in reducing unwanted incoming faxes, the MXC300W fax filtering and blocking function rejects faxes from designated numbers/ senders; easily preventing junk faxes and wasting supplies.

### Port Controls

To ensure proper configuration and enhance network security, the MXC300W supports the enabling and disabling of selected network ports, and/or the changing of port numbers. In addition, network filter settings allow the MXC300W to be configured to allow network access from only authorized PCs and/or servers.

# **ENVIRONMENTAL COMMITMENT**







#### An Environmentally Responsible Approach to Product Design

The MXC300W utilizes Sharp's advanced **micro-fine toner technology**, which offers a lower consumption rate and produces less waste than conventional toners, resulting in longer replacement intervals. Sharp supplies are packaged using fully **recyclable materials**. Long-life consumable parts help minimize service intervals and downtime, resulting in lower operating costs. With two different energy saving modes, power can be reduced or shut off at set intervals. All Sharp document systems are **ENERGY STAR® qualified** and **RoHS compliant** to help meet the latest green initiatives.

#### **Toner Recycling Program**

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for all Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid Recycling Kit for their return to our facility. Please visit <a href="http://www.sharp.ca/en-CA/AboutUs/SharpAndTheEnvironment/Recycling.aspx">http://www.sharp.ca/en-CA/AboutUs/SharpAndTheEnvironment/Recycling.aspx</a> to learn more.

#### **Environmental Leadership**

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR® annual Excellence in Energy Proficiency Product Design. Sharp was also a previous recipient of the Excellence in Partnership Green Contractor Award and the Evergreen Award from the General Services Administration (GSA) and the Coalition for Government Procurement. These awards recognize environmentally responsible businesses and their efforts on recycling, waste reduction and affirmative procurement practices.

#### **Global Initiatives**

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit <a href="http://www.sharp.ca/en-CA/AboutUs/SharpAndTheEnvironment.aspx">http://www.sharp.ca/en-CA/AboutUs/SharpAndTheEnvironment.aspx</a> to learn more.

# MXC300W Specifications

Main Specification		salud- ···	Hitaalina aantrallar 50 -1 DODE			
MXC300W	Base models include multitasking controller, 50-sheet RSPF,					
			BTM compatible printing systems,			
			duplexing, 1 x 250-sheet paper			
	drawer, 50-sheet bypass tray. Black and colour toner and developer is included.					
T						
Type			ital document system			
Display	(white LED).	rix nign-re	esolution display with backlight			
Functions		Copy, print, network print, network scan, scan to e-mail				
runcuons	and fax	it, Hetwork Scall, Scall to e-mail				
Copy System	Dry electrostatic transfer/Dual component developer/					
оору бузісііі	Magnetic brush development/OPC drums/Belt type fusing/					
	white LED exposure					
Originals	Sheets and bound documents					
Max Original Size	8.5" x 14"	una aocai	none			
Copy Size Min.	5.5" x 8.5"					
Copy Speed	Copy/Print Speed 30/30 ppm					
		Colour (8.5" x 11")				
Multiple Copy	Max. 999 copi					
First Copy Time			C300W			
(in Seconds)		B&W	Colour			
,	Platen Glass	10	18			
	Doc. Feeder	16	25			
Warm Up Time	29 seconds or less					
Magnification	25% to 400% in 1% increments					
•	(with document feeder 25%-200%)					
Original Feed	MXC300W 50-sheet RSPF					
	with original size detection.					
Scan Speed	RSPF Copy: Up to 19 IPM simplex (B&W)					
	(Colour) RSPF Scan: Up to 9.5 IPM duplex (B&W/Colour)					
	Original Sizes	5.5" x 8.5	", 8.5" x 11", 8.5" x 14"			
Paper Capacity	Standard: 300 Sheets/Maximum: 800 Sheets					
Paper Feed	Standard: (1) 2	50-sheet	paper drawer (letter/statement			
System	size) and 50-sheet bypass tray (letter/statement).					
	Optional: 500-sheet letter/statement size.					
Paper Weights			and to 80 lb. cover. Other paper types			
and Types	include and types plain, pre-printed, recycled, pre-punched,					
	letterhead and colour paper. Bypass tray: 16-28 lb. bond (plain					
	paper), 13-16 lb. bond (thin paper), 28-80 lb. cover (heavy					
			Monarch/Com-10 envelope). Also			
	label paper, gloss paper, pre-printed, recycled, pre-punched,					
	letterhead and					
Duplexing	Standard automatic duplex copying and printing					
CPU	Up to 600 MH		-			
Interface	RJ-45 Ethernet (10Base-T, 100Base-TX), USB 2.0					
			3 2.0 (1 device port, rear)			
Memory	Standard 512N		· '			
Copy Resolution	Scan: B&W/col		* *			
	Copy Output: B&W/colour: 600 x 600 dpi.					
	Default resolution is 600 x 400 dpi when using document glass; 600 x 300 dpi when using RSPF.					
			-			
Colour Modes	Full Colour Mo	de, Mono	chrome (B/W)			

Halftone	256 gradations/5 levels (monochrome)		
Copy Features	Scan-Once Print-Many, electronic sorting, Auto Tray		
	Switching (ATS), ID Card Copy, Card Shot, Sharpness,		
	2-in-1 / 4-in-1 multi shot		
Account Control	Up to 30 users. Supports user-number authentication		
Output Tray	Main output tray (top): 150 sheets (face down)		
Firmware			
Management	Flash ROM with local (USB)		
Device Set-up	Web-based management/cloning with user/administrator		
	level login		
Service/Functions			
Accessibility	Section 508, concave key, operation position, BEEP sound		
Features	on standard values, adjustment of key touch speed, adjustment		
	of key touch sound, Platen cover/free stop of document feeder,		
	key repeat prohibited, screen timeout prohibited, program		
Environmental	International Energy Star Program Ver. 1.2, Canadian		
Standards	EcoLogo Program (CCD-035), Blue Angel (RAL-UZ171),		
	European RoHS		
Power	AC 100-127 VAC, 50/60 HZ, Amps 9		
Power			
Consumption	1.1kW		
Weight	63.93 lbs.		
Dimensions Approx	. 17" (w) x 20" (d) x 16.75" (h)		
Network Printing	System		
	System Standard PCL® 6, PostScript® 3™ compatible		
PDL	-		
PDL Resolution	Standard PCL® 6, PostScript® 3™ compatible		
PDL Resolution Print Speed	Standard PCL® 6, PostScript® 3™ compatible 600 x 600 dpi		
PDL Resolution Print Speed	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11")		
PDL Resolution Print Speed	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003,		
PDL Resolution Print Speed	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008,		
PDL Resolution Print Speed	Standard PCL® 6, PostScript® 3 <sup>TM</sup> compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64,		
PDL Resolution Print Speed Print Drivers	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64,		
PDL Resolution Print Speed Print Drivers	Standard PCL® 6, PostScript® 3 <sup>TM</sup> compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8)		
PDL Resolution Print Speed Print Drivers	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x54, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour		
PDL Resolution Print Speed Print Drivers	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save		
PDL Resolution Print Speed Print Drivers Features	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, R0PM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, R0PM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types	Standard PCL® 6, PostScript® 3 <sup>TM</sup> compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods	Standard PCL® 6, PostScript® 3 <sup>TM</sup> compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vistas x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention. TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS)		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts Interface	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x54, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts Interface	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows Server 2012 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0 Windows Server 2003, Windows Server 2008, Windows XP,		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts Interface	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printling, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printling, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0 Windows Server 2003, Windows Server 2008, Windows XP, Windows Vista, Windows Systems 7, Windows 8, Mac OS		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts Interface Operating Systems	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printling, colour adjustment settlings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0 Windows Server 2003, Windows Server 2008, Windows XP, Windows Vista, Windows Systems 7, Windows 8, Mac OS X10.4, X10.5, X10.6, X10.7, X10.8		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts Interface Operating Systems	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printling, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0 Windows Server 2003, Windows Server 2008, Windows XP, Windows Vista, Windows Systems 7, Windows 8, Mac OS X10.4, X10.5, X10.6, X10.7, X10.8 TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP), SMTP, LDAP.		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts Interface Operating Systems  Network Protocols	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server® 2003 x64, Windows Vista x64, Windows 7, Windows 7 x64, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0 Windows Server 2003, Windows Server 2008, Windows XP, Windows Vista, Windows Systems 7, Windows 8, Mac OS X10.4, X10.5, X10.6, X10.7, X10.8  TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP), SMTP, LDAP. LPD and LPR for Unix.		
Network Protocols	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server® 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Ferver® 2002 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0 Windows Server 2003, Windows Server 2008, Windows XP, Windows Vista, Windows Systems 7, Windows 8, Mac OS X10.4, X10.5, X10.6, X10.7, X10.8 TCP/IP (IPV4, IPV6, IPSEC) SSL (HTTP), SMTP, LDAP. LPD and LPR for Unix.		
PDL Resolution Print Speed Print Drivers  Features  Direct Printing File Types Methods Resident Fonts Interface Operating Systems  Network Protocols	Standard PCL® 6, PostScript® 3TM compatible 600 x 600 dpi 30 ppm B&W/Colour (8.5" x 11") Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server® 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Ferver® 2002 x64, MAC OSX® (including 10.4 to 10.8) Windows cluster print, ROPM, duplex printing, colour adjustment settings, driver delivery functions, toner save mode, electronic sorting, N-up printing, watermarks, image rotation, job retention.  TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, PostScript FTP, USB memory 80 outline fonts (PCL), 136 fonts (PS) RJ-45 Ethernet 10/100 Base-T, USB 2.0 Windows Server 2003, Windows Server 2008, Windows XP, Windows Vista, Windows Systems 7, Windows 8, Mac OS X10.4, X10.5, X10.6, X10.7, X10.8 TCP/IP (IPV4, IPV6, IPSEC) SSL (HTTP), SMTP, LDAP. LPD and LPR for Unix.		

Max Original	8.5" x 14"		
Optical Resolution	600 dpi		
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi		
Image Formats	Monochrome: TIFF, PDF		
	Colour/Greyscale: Colour TIFF, JPEG, PDF		
Image	Monochrome Scanning: Uncompressed, G3 (MH), G4		
Compression	(MR/MMR) Colour/Greyscale: JPEG (high, middle, low)		
Scan Destinations	E-mail, Desktop, FTP, Network Folder (SMB), USB Memory		
<b>Group Destinations</b>	Up to 300		
Max. Jobs	Up to 100		
Network Protocols	TCP/IP (includes SMTP, LDAP, FTP) and SMB		
Software	Sharpdesk® desktop personal document management software		
	(1 user license included), Sharpdesk Mobile (download)		

#### SharpDesk Mobile® V1.3.1 (supported devices)

- iPhone 4/4S/5, iPad, iPad2, iPad (3rd generation), iPad (4th generation), and iPad mini (iOS 4.3 through 6)
- Android based mobile devices running Android 2.3, 4.0, and 4.1.
   (SD card is required for the device that has SD card slot.
   Recommended screen resolution: 800 x 480 pixels and higher).
- Mobile devices running Windows 8, Windows 8 Pro, Windows 8 Enterprise, and Windows RT. (Minimum System Requirements: 1 GHz processor, 1 GB RAM, 20MB free HDD space, and 1,024 x 768 pixels screen resolution with DirectX 9 graphics capability. Recommended screen resolution: 1,368 x 768 pixels. Touch-screen is recommended.)

Super G3 Fax	
Transmission	
Mode	Super G3, G3
Modem Speed	33.6 KBPS
Compression	
Methods	MMR, MR, MH
Scanning Method	Sheet fed simplex or duplex or book
Max. Resolution	400 dpi
Transmit Speed	Approx. 2 seconds with Super G3/JBIG4
Auto Dialing	Up to 300
Group Dial	Up to 100
Inbound	
Fax Routing	SMB
Programs	9
Memory	8MB
Halftone	256 levels

MXCS11	500-Sheet Paper Drawer	
Supplies		
MXC30NTB	Black Toner Cartridge	
MXC30NTC	Cyan Toner Cartridge	
MXC30NTM	Magenta Toner Cartridge	
MXC30NTY	Yellow Toner Cartridge	
MXC30NVB	Black Developer	
MXC30NVC	Cyan Developer	
MXC30NVM	Magenta Developer	
MXC30NVY	Yellow Developer	
MXC30DR	Drum	
МХС30НВ	Toner Collection Container	

**Optional Equipment** 



Exposure Control Modes: Text, Text/Printed-Photo, Photo



**Network Scanning System** 

Scan Modes

Standard



Colour, monochrome, greyscale





Design and specifications subject to change without notice. Sharp, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server and Windows Vista are trademarks or registered trademarks of Microsoft Corporation. All other trademarks are the property of their respective owners. iPhone and iPad are registered trademarks of Apple Inc. Android is a trademark of Google Inc.



see what happens

